

DRUM LIFTER

CHAMPLIFT

Model No	LKT 30/1.4
Loading lifting capacity(kg)	300
Lifting height (mm)	1400
Overall dimension(mm)	1210x970x2050
Self Weight (kg)	160
Overall height (mm)	2020
Net Weight(kg)	155



Max. Lift Height
1400



High Quality

- A Spring-load clamp security holds any rimmed drum.
- It has swivel steering wheels for easy positioning and precision roller-bearing load wheels for maximum stability.
- Easily glider over pallets to quickly load or unload 30 or 50-gallon drums, grab from the middle of a standard pallet with a drum claw grab, raise the drum up, and redistribute them throughout the facility.

WEIGHT
CAPACITY
300KG



DRUM LIFTER

CHAMPLIFT

Model No	LKT 300/DP
Loading lifting capacity(kg)	300
Lifting height (mm)	1400
Overall dimension(mm)	980x850x1200
Self Weight (kg)	80




Max. Lift Height
1400



High Quality

- A Spring-load clamp security holds any rimmed drum.
- It has swivel steering wheels for easy positioning and precision roller-bearing load wheels for maximum stability.
- Easily glider over pallets to quickly load or unload 30 or 50-gallon drums, grab from the middle of a standard pallet with a drum claw grab, raise the drum up, and redistribute them throughout the facility.



WEIGHT
CAPACITY
300KG



CHAMPLIFT

HAND PALLET TRUCKS

Stainless Steel Hand Pallet Truck

CHAMPLIFT

Min. Fork Height (mm)	80
Max. Fork Height(mm)	200
Lifting Height (mm)	120
Fork Length (mm)	1150
Single Fork Height (mm)	160
Overall Forks Width (mm)	550
Load Bearing Wheel (mm)	80*70
Steer Wheel (mm)	180*50
Weight (kg)	68

- One seal pouring cylinder sealing strong oil leakage
- Thicken spring easy rebound
- Thicken Fork integrated molding
- Anti-rollover design, prevent goods tilt



Max. Lift Height
120



Fork Length
1150

WEIGHT
CAPACITY
2500KG



HAND PALLET TRUCK

CHAMPLIFT

Min. Fork height (mm)	65
Max. Fork height(mm)	185
Lifting Height (mm)	120
Fork length (mm)	1220
Single fork height (mm)	160
overall forks Width (mm)	685
load bearing wheel (mm)	80*70
Steer wheel (mm)	180*50
Wheel	Nylon
Weight (kg)	74kg

- One seal pouring cylinder sealing strong oil leakage
- Thicken spring easy rebound
- Thicken Fork integrated molding
- Anti-rollover design, prevent goods tilt



Max. Lift Height
120



Fork Length
1220

WEIGHT
CAPACITY
3000KG

HAND PALLET TRUCK

CHAMPLIFT



- One seal pouring cylinder sealing strong oil leakage
- Thicken spring easy rebound
- Thicken Fork integrated molding
- Anti-rollover design, prevent goods tilt

Min. Fork height (mm)	85
Max. Fork height(mm)	195
Lifting Height (mm)	110
Fork length (mm)	1150
Single fork height (mm)	160
overall forks Width (mm)	550
Fork wheel single (mm)	80x93
Fork wheel tandam (mm)	74x70
Steering Wheel	180x50



Max. Lift Height
120



Fork Length
1150

WEIGHT
CAPACITY
3000KG

HAND PALLET TRUCK

CHAMPLIFT



- One seal pouring cylinder sealing strong oil leakage
- Thicken spring easy rebound
- Thicken Fork integrated molding
- Anti-rollover design, prevent goods tilt

Max. Fork height (mm)	195
Min. Fork height(mm)	85
Fork length (mm)	1150
Width overall forks (mm)	550
Steering wheel (mm)	180x52
Fork wheel (mm)	80x70
Truck Weight (mm)	120/130



Max. Lift Height
120



Fork Length
1150/11220

WEIGHT
CAPACITY
5000KG

HAND PALLET TRUCK

CHAMPLIFT



- One seal pouring cylinder sealing strong oil leakage
- Thicken spring easy rebound
- Thicken Fork integrated molding
- Anti-rollover design, prevent goods tilt

Max. Fork height (mm)	75
Min. Fork height(mm)	185
Lifting Height (mm)	110
Fork length (mm)	1150
Single fork width (mm)	160
Width overall forks (mm)	550
Fork wheel single (mm)	74x93
Fork wheel tandem (mm)	80x70
Steering wheel (mm)	180x50



Max. Lift Height
110



Fork Length
1150/1220

WEIGHT
CAPACITY
2500KG


HAND PALLET TRUCK WITH SCALE

CHAMPLIFT



- One seal pouring cylinder sealing strong oil leakage
- Thicken spring easy rebound
- Thicken Fork integrated molding
- Anti-rollover design, prevent goods tilt

Total lift height (mm)	175
Lowered fork height(mm)	65
Fork length (mm)	1150
Width overall forks (mm)	550
Steering wheel (mm)	160x50
Fork wheel (mm)	64x70
Truck weight (kg)	109-113



Max. Lift Height
110



Fork Length
1150/1220

WEIGHT
CAPACITY
2500KG

HAND PALLET TRUCK

CHAMPLIFT

Min. Fork Height (mm)	65
Max. Fork Height(mm)	185
Lifting Height (mm)	120
Fork Length (mm)	1220
Single Fork Height (mm)	160
Overall Forks Width (mm)	685
Load Bearing Wheel (mm)	80*70
Steer Wheel (mm)	180*50
Wheel	Nylon
Weight (kg)	74kg

- One seal pouring cylinder sealing strong oil leakage
- Thicken spring easy rebound
- Thicken Fork integrated molding
- Anti-rollover design, prevent goods tilt



Max. Lift Height
120



Fork Length
1220

WEIGHT
CAPACITY
2500KG



CHAMPLIFT

2500
KGS
CAPACITY

STAINLESS STEEL
HAND PALLET

Effortless Precision

Min. Fork Height (mm)	80
Max. Fork Height(mm)	200
Lifting Height (mm)	120
Fork Length (mm)	1150
Single Fork Height (mm)	160
Overall Forks Width (mm)	550
Load Bearing Wheel (mm)	80*70
Steer Wheel (mm)	180*50
Weight (kg)	68



Max. Lift Height
120



Fork Length
1150



LOKHANDWALA
TRADING L.L.C.
INDUSTRIAL | SURVEYING | SOLUTIONS



CHAMPLIFT

JACKS

HYDRAULIC BOTTLE JACK

CHAMPLIFT

Model	LKTHBJ-2
Lifting Ton	2
Min Height mm	158
Lifting Height mm	90
Adjust Height mm	60
Max Height mm	308
Net Weight Kg	2.3



Max. Lift Height
90



High
Quality

WEIGHT
CAPACITY
2 TON

HYDRAULIC BOTTLE JACK

CHAMPLIFT

Model	LKTHBJ-5
Lifting Ton	5
Min Height mm	125
Lifting Height mm	125
Adjust Height mm	60
Max Height mm	382
Net Weight Kg	4.4



Max. Lift Height
125



High
Quality

WEIGHT
CAPACITY
5 TON

HYDRAULIC BOTTLE JACK

CHAMPLIFT

Model	LKTHBJ-10
Lifting Ton	10
Min Height mm	125
Lifting Height mm	125
Adjust Height mm	60
Max Height mm	390
Net Weight Kg	5.6



Max. Lift Height
125



High
Quality

WEIGHT
CAPACITY
10 TON

HYDRAULIC BOTTLE JACK

CHAMPLIFT

Model	LKTHBJ-20
Lifting Ton	20
Min Height mm	145
Lifting Height mm	145
Adjust Height mm	60
Max Height mm	449
Net Weight Kg	10.5



Max. Lift Height
145



High
Quality

WEIGHT
CAPACITY
20 TON

HYDRAULIC BOTTLE JACK

CHAMPLIFT

Model	LKTHBJ-50
Lifting Ton	50
Min Height mm	180
Lifting Height mm	180
Adjust Height mm	/
Max Height mm	480
Net Weight Kg	30



Max. Lift Height
180



High
Quality

WEIGHT
CAPACITY
50 TON

FLOOR JACK

CHAMPLIFT

Model	LKTFJ-3
Lifting Ton	3
Min Height mm	158
Lifting Height mm	90
Adjust Height mm	60
Max Height mm	308
Net Weight Kg	2.3



Max. Lift Height
90



High
Quality

WEIGHT
CAPACITY
3 TON

FLOOR JACK

CHAMPLIFT

Model	LKTFJ-5
Lifting Ton	5
Min Height mm	125
Lifting Height mm	125
Adjust Height mm	60
Max Height mm	382
Net Weight Kg	4.4



Max. Lift Height
125



High
Quality

WEIGHT
CAPACITY
5 TON



CHAMPLIET

RESCUE TRIPOD

RESCUE TRIPOD & WINCH

CHAMPLIFT

Model	LKTRT-544
Rated Capacity	180kg
Closing Length	1.35m
Spread Length	2.14m
Manual Handle Force	≤500n
Wire Rope Length	30m
Winch Mechanical Efficiency	5:01
Blocking Power	22kn
External Dimensions	173*39*36
Weight	18.5kg
Safety Factor	10



High Quality

RATED
CAPACITY
180 KG

